Operations Specifications

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	01/31/2012	02/03/2015	17
002 Definitions and Abbreviations	01/12/2012	02/01/2014	12
003 Ratings and Limitations	04/03/2017	07/03/2023	26
004 Summary of Special Authorizations and Limitations	09/23/1998	06/14/2021	13
007 Designated Persons	09/08/2021	06/28/2022	18
025 Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media	04/03/2017	06/23/2023	5
101 Additional Fixed Locations	12/11/2020	06/14/2021	0
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	02/03/2015	9

Airbus Helicopters, Inc. Part A-1 Certificate No.: VY1R575K

Operations Specifications

Table of Contents

Part D

	HQ CONTROL	EFFECTIVE	AMENDMENT
	DATE	DATE	NUMBER
Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	02/01/2014	10

Airbus Helicopters, Inc.

Part D-1 Print Date: 1/31/2014

Operations Specifications

A001. Issuance and Applicability

HQ Control: 01/31/2012

HQ Revision:

05d

a. These operations specifications are issued to Airbus Helicopters, Inc., a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location: 2701 N. Forum Drive Grand Prairie, Texas 75052-7099

- b. The holder of these operations specifications is the holder of certificate number VY1R575K and shall hereafter be referred to as the "certificate holder".
- c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.
- d. The repair station specified on these operations specifications and located within the United States performs maintenance and/or an alteration of aircraft and/or aeronautical products to be installed on aircraft under the terms and conditions of the U.S./EC Safety Agreement, Annex 2, Maintenance, between the FAA and the EC.
- e. The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.

Delegated authorities: None

Airbus Helicopters, Inc.

A001-1 Amdt. No: 17

Operations Specifications

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Louis E Vargo, Principal Avionics Inspector (SW19) [1] EFFECTIVE DATE: 2/3/2015, [2] AMENDMENT #: 17 DATE: 2015.02.03 13:21:52 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

lleff, John, FAA Accountable Manager, 145

Date

Airbus Helicopters, Inc.

A001-2 Amdt. No: 17

Operations Specifications

A002. Definitions and Abbreviations

HQ Control: 01/12/2012

HQ Revision:

05b

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

BASA The Bilateral Aviation Safety Agreement (BASA) is an executive

agreement concluded between the United States and a foreign country

for the purpose of promoting aviation safety; also known as an

Agreement for the Promotion of Aviation Safety.

Certificate Holder In these operations specifications, the term "certificate holder" means

the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this

certificate.

CFR Code of Federal Regulations

Class rating As used with respect to the certification, ratings, privileges, and

limitation of aircraft within a category having similar operating

characteristics.

EASA European Aviation Safety Agency

EASA Accountable The manager who has corporate authority for ensuring that all

Manager maintenance required by the customer can be financed and carried out

to the standard required by the EASA full-member Authority.

Exemption An authorization that permits an alternate means of compliance with a

specific CFR. The exemption must meet the procedural requirements

of 14 CFR Part 11.

FAA Accountable A person designated by the certificated repair station who is

Manager responsible for and has authority over all repair station operations that

are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the

primary contact with the FAA.

Geographic An approval provided to a repair station located outside the United **Authorization** States to perform maintenance support under contract for a U.S. air

carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to a U.S. air

carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not

Airbus Helicopters, Inc. A002-1 Certificate No.: VY1R575K

Operations Specifications

warrant permanently staffing and equipping the station for its

accomplishment.

A rating issued to repair stations for the performance of maintenance **Limited Rating**

on particular makes and models of airframes, powerplants, propellers,

radios, instruments, accessories, and/or parts.

Limited Ratings -**Specialized Services** Rating issued for a special maintenance function when the function is

performed in accordance with a specification approved by the

Administrator.

Line Maintenance Any unscheduled maintenance resulting from unforeseen events, or

scheduled checks where certain servicing and/or inspections do not

require specialized training, equipment, or facilities.

MAG The Maintenance Annex Guidance (MAG) defines the process that

the FAA and EASA undertake in the inspection, findings of

compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities

in support of the Agreement, Annex 2, Maintenance.

Maintenance The inspection, overhaul, repair, preservation, and replacement of

parts, but excludes preventive maintenance.

U.S./EC Aviation Safety Agreement,

Annex 2. Maintenance Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.

MIP Maintenance Implementation Procedures (MIP) are procedures for

implementing the provisions of a BASA that apply to maintenance.

MOE A maintenance organization exposition (MOE) pertains to EASA

member countries that use an MOE in place of a Repair Station

Manual (RSM) and a Quality Control Manual (QCM).

Preventive Maintenance As defined in 14 CFR part 1 and part 43 appendix A, subparagraph

(c).

QCM Quality Control Manual

Repair Station located in the United States

A certificated repair station located in the United States.

Repair Station located

outside the United States

A certificated repair station located outside of the United States.

RSM

Repair Station Manual

Operations Specifications

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Louis E Vargo, Principal Avionics Inspector (SW19) [1] EFFECTIVE DATE: 2/1/2014, [2] AMENDMENT #: 12 DATE: 2014.01.31 10:03:50 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Shurtleff, John, FAA Accountable Manager, 145

Date

U.S. Department	
of Transportation	
Federal Aviation	
Administration	

Operations Specifications

A003 . Ratings and Limitations

HQ Control: 04/03/2017 **HQ Revision:** 01a

Certificate No.: VY1R575K

The certificate holder is authorized the following Ratings and/or Limitations:

Class Ratings

Accessory Class 1: Mechanical Accessories Accessory Class 3: Electronic Accessories

Limited Ratings

Rating	<u>Manufacturer</u>	Make/Model	Limitations
Airframe	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Maintenance, Preventive Maintenance and Alteration in accordance with Manufacturer's Specifications and other Data Approved by the Administrator. Test and Inspection of Altimeter systems and altitude reporting equipment.
Rotor Blades	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Maintenance, Preventive Maintenance and Alteration in accordance with Manufacturer's Specifications and other Data Approved by the Administrator.
PowerPlant	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to Maintenance, Preventive Maintenance and Alteration (excluding overhaul) in accordance with Manufacturer's Specifications and other Data Approved by the Administrator.
Radio - Communications	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Maintenance, Preventive Maintenance and Alteration in accordance with Air Carrier Approved Data, Manufacturer's Specifications and other Data Approved by the Administrator.
Radio Transponder	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Installation, Test and Certification of Encoding Altimeter ATC Transponder systems, in accordance with manufactures instructions or other data approved by the Administrator
Instrument Blind Encoder	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Installation, Test and certification of Blind Encoding Altimeter, ATC Transponder systems in accordance with manufactures instructions or other data approved by the Administrator

Operations Specifications

Rating	<u>Manufacturer</u>	Make/Model	Limitations
Instrument Encoding Altimeter	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Installation, Test and certification of Encoding Altimeter, ATC Transponder systems in accordance with manufactures instructions or other data approved by the Administrator
Accessories	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Maintenance, Preventive Maintenance and Alteration in accordance with Manufacturers Specifications and other Data approved by the Administrator
Nondestructive Inspection, Testing, and Processing	From the Capability List, as amended.	From the Capability List, as amended.	ASTM-E-1444, ASTM-E1417, and Manufacturers Specifications or other Data approved by the Administrator

Limited Ratings - Specialized Services

Rating	Specifications	<u>Limitations</u>
Alodine 1200 Treatment of Aluminum	AEC-93R-E-007	Repair limitations as contained in the referenced Civil or Military Specification.
Spray application of MI-15S thermal protection	AEC/00R-E-009	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Aircraft paint	AHC/78R-E-44	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.
Dalic brush plating	Specification IFMA	Use the methods, techniques, and practices prescribed in the current manufacturers maintenance manual or Instructions for Continued Airworthiness, or other methods, techniques, and practices acceptable to the Administrator.

Airbus Helicopters, Inc. A003-2 Certificate No.: VY1R575K Amdt. No: 26

Operations Specifications

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Curtis W. Anthony Jr., Principal Avionics Inspector (SW19) [1] SUPPORT INFO: Removed Specialized Service Ratings for the following: AS350 Crew Seats, ATR-42 Engine Cowling, ATR-42 Air Conditioning Door, and ATR-42/72 side engine cowlings

ATR-42/72 side engine cowlings.
[2] EFFECTIVE DATE: 7/3/2023, [3] AMENDMENT #: 26

DATE: 2023.08.31 11:11:06 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Dena Anderson, FAA Accountable Manager, 145

Date

Airbus Helicopters, Inc.

A003-3 Amdt. No: 26

Operations Specifications

A004 . Summary of Special Authorizations and Limitations

HQ Control: 09/23/1998

Reference

HQ Revision:

010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

	Reference Paragraphs
Use an acceptable electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100

b. The certificate holder is not authorized and shall not:

	Paragraphs
Use Exemptions.	A005
Perform maintenance with ratings for repair stations located outside the United States under a Bilateral Aviation Safety Agreement with Maintenance Provisions.	A060
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating non-U.Sregistered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

Operations Specifications

1. The Certificate Holder applies for the Operations in this paragraph.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by E. Tony Baumgard, Principal Maintenance Inspector (SW19) [1] SUPPORT INFO: Add A101 [2] EFFECTIVE DATE: 6/14/2021, [3] AMENDMENT #: 13 DATE: 2021.06.14 07:25:20 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Paul LeBlanc, EASA Accountable Manager

Date

6-15-2021

Operations Specifications

A007. Designated Persons

HQ Control: 09/08/2021

HQ Revision:

03a

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 - Designated Persons to Apply for and Receive Authorizations

Title	Name	Parts Authorized	Email Address
FAA Accountable Manager, 145	Anderson, Dena	A,D	dena.anderson@airbus.com
Vice President Quality Assurance	Shurtleff, John	A,D	john.shurtleff@airbus.com
EASA Accountable Manager, 145	Anderson, Dena	A,D	dena.anderson@aibus.com
Chief Inspector	Snyder, Derek	A,D	derek.snyder@airbus.com

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (InFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 - Designated to Receive InFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive
Anderson, Dena	dena.anderson@airbus.com	972-641-3763	ALL
Shurtleff, John	john.shurtleff@airbus.com	972-641-5057	ALL
Snyder, Derek	derek.snyder@airbus.com	972-641-3479	ALL

1. The Certificate Holder applies for the Operations in this paragraph.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Curtis W. Anthony Jr., Principal Avionics Inspector (SW19) [1] SUPPORT INFO: Added Derek Snyder as Chief Inspector, removed Romain

[2] EFFECTIVE DATE: 9/6/2023, [3] AMENDMENT #: 19

DATE: 2023.10.05 09:43:45 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Dena Anderson, FAA Accountable Manager, 145

Date

Airbus Helicopters, Inc.

A007-1 Amdt. No: 19

Operations Specifications

1. The Certificate Holder applies for the Operations in this paragraph.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by E. Tony Baumgard, Principal Maintenance Inspector (SW19) [1] SUPPORT INFO: Change of Accountable Manager [2] EFFECTIVE DATE: 6/28/2022, [3] AMENDMENT #: 18 DATE: 2022.06.28 13:52:07 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Dena Anderson, EASA Accountable Manager

Date

Operations Specifications

A025 . Electronic/Digital Recordkeeping System. Electronic/Digital Signature, and Electronic Media HQ Control: 04/03/2017

HQ Revision: 00b

The certificate holder is authorized to use an acceptable electronic/digital recordkeeping system, described and/or referenced in this paragraph (if none, enter N/A.)

Repair Station Manual Section 6.11, Page 24.

The certificate holder is authorized the use of the following electronic/digital signature procedures (if none, enter "N/A").

N/A

The certificate holder is authorized to use electronic media for the repair station and quality control manuals, if acceptable (if none, enter "N/A").

Repair Station Manual/Quality Control Manual are maintained on repair station server in protected Adobe PDF format. These documents are accessible to all work areas throughout the facility, VIA the company intranet, document center.

- 1. The Certificate Holder applies for the Operations in this paragraph.
- 2. These Operations Specifications are approved by direction of the Administrator.

Digitally signed by Curtis W. Anthony Jr., Principal Avionics Inspector (SW19) [1] SUPPORT INFO: Updated part a manual reference and part c manual format. [2] EFFECTIVE DATE: 6/23/2023, [3] AMENDMENT #: 5

DATE: 2023.06.23 10:29:07 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Dena Anderson, FAA Accountable Manager, 145

Operations Specifications

A101 . Additional Fixed Locations

HQ Control: 12/11/2020

Certificate No.: VY1R575K

HO Revision:

01b

a. The certificate holder is authorized to perform work at the following additional fixed location(s) listed in Table 1 below, provided it has the facilities, materials, equipment, and technical personnel to perform the work authorized.

Table 1

	Additional	Location	Address(es)	
Address	City	State	Country	Postal Code
2370 W. Airfield Dr.	Grapevine	Texas	UNITED STATES	76051

- b. This authorizes the certificate holder to use multiple locations to perform its operations under a single certificate.
- c. With the exception of the provisions of subparagraph g below, this authorization does not constitute work performed at additional location(s) outside the domiciled country.
- d. The certificate holder may perform continuous operations at the facilities listed in Table 1 above.
- e. All the authorizations and exemptions authorized for the certificate holder apply at these locations, as applicable.
- f. Repair stations located outside the United States covered by the U.S./European Union (EU) Safety Agreement must be under the surveillance of an aviation authority (AA), hold a European Aviation Safety Agency (EASA) line station approval, and must be located within the EU Member States.
- g. Repair stations with their principal place of business located within the United Kingdom of Great Britain and Northern Ireland (UK) operating under the Maintenance Implementation Procedures (MIP) are authorized additional fixed locations outside of the UK. The repair station must hold a UK Civil Aviation Authority (CAA) approval, be under direct surveillance by the UK CAA for that location, and must not be located within the United States.

Operations Specifications

1. The Certificate Holder applies for the Operations in this paragraph.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by E. Tony Baumgard, Principal Maintenance Inspector (SW19) [1] SUPPORT INFO: added parts facility [2] EFFECTIVE DATE: 6/14/2021, [3] AMENDMENT #: 0 DATE: 2021.06.14 07:28:17 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Paul LeBianc, EASA Accountable Manager

Date

6-15-2021

Operations Specifications

A449. Antidrug and Alcohol Misuse Prevention Program

HQ Control: 07/17/2009 **HO Revision:** 00a

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

	1 able 1
2	Location & Telephone of Antidrug and Alcohol Misuse
	Prevention Program Records:
Telephone Number:	A1 (800) 232-0323
Address:	2701 N. Forum Drive
Address:	N/A
City:	Grand Prairie
State:	TX
Zip code:	75052

Table 1

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
 - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
 - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has 50 or more safety-sensitive employees.

Airbus Helicopters, Inc. A449-1 Certificate No.: VY1R575K

Operations Specifications

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Louis E Vargo, Principal Avionics Inspector (SW19) [1] EFFECTIVE DATE: 2/3/2015, [2] AMENDMENT #: 9 DATE: 2015.02.03 13:21:54 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Shurtleff/John, FAA Accountable Manager, 145

Date

Operations Specifications

D100 . Work to be Performed at a Place Other Than the Repair HQ Control: 11/16/2004 Station Fixed Location(s) HQ Revision: 050

a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
Maintenance, Repairs and Alterations excluding overhaul	Section 1.6	N/A

- b. The certificate holder <u>may not</u> perform <u>continuous</u> operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. <u>Line Stations</u>. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.
- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Louis E Vargo, Principal Avionics Inspector (SW19) [1] EFFECTIVE DATE: 2/1/2014, [2] AMENDMENT #: 10 DATE: 2014.01.31 10:04:00 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Shurtleff, John, FAA Accountable Manager, 145

Date